

# Cleanmo<sup>®</sup>

WORLD BRAND OF SWAB FOR INDUSTRIAL USE



**CLEANMO**

**CLEANROOM**

**Foam and Fabric ESD Swab**

# HIGH QUALITY OF CLEANMO SWABS
















The sponge swab will not turn to yellow at least 2 years, Unless it exposure to air and sunlight for long time.

## Physical Characteristics:

To avoid the static electricity to damage and high Class Cleanroom demand, Please choose Cleanmo Anti-static and Cleanroom swabs.

P/N:	Head Material	Head width	Head Thickness	Head length	Handle Material	Handle width	Handle Length	Total length	Packaging
CM-FS750 (TX750B/D)	Sponge	3.2mm	3.2mm	10mm	Polypropylene	2.5mm	66mm	76mm	500swabs/bag 5 inner bags of 100 swabs 50bags/ctn
CM-FS757 (TX757B/E)	Sponge	3.2mm	2.6mm	10mm	Polypropylene	2.2mm	60mm	70mm	500swabs/bag 5 inner bags of 100 swabs 50bags/ctn
CM-FS742 (TX742B/C)	Sponge	3.6mm	3.5mm	12mm	Polypropylene	3.0mm	59mm	71mm	500swabs/bag 5 inner bags of 100 swabs 50bags/ctn
CM-FS741 (TX741B)	Sponge	3.2mm	3.0mm	11mm	Polypropylene	2.2mm	57mm	68mm	500swabs/bag 5 inner bags of 100 swabs 50bags/ctn
CM-FS751 (TX751B/S)	Sponge	4.0mm	4.0mm	15mm	Polypropylene	2.4mm	51mm	66mm	500swabs/bag 5 inner bags of 100 swabs 50bags/ctn
CM-FS740 (TX740B)	Sponge	6.8mm	5.0mm	18mm	Polypropylene	3.0mm	145mm	163mm	500swabs/bag 5 inner bags of 100 swabs 10bags/ctn
CM-FS746 (TX746S)	Sponge	6.8mm	5.0mm	18mm	Polypropylene	3.0mm	74mm	92mm	500swabs/bag 5 inner bags of 100 swabs 20bags/ctn
CM-FS712 (TX712A)	Sponge	11mm	7.0mm	25mm	Polypropylene	5.2mm	103mm	128mm	50swabs/bag 100bags/ctn or 50bags/ctn
CM-FS706 (TX706A)	Sponge	11mm	7.0mm	27mm	Polypropylene	6.3mm	54mm	81mm	50swabs/bag 50bags/ctn
CM-FS707 (TX707A)	Sponge	16mm	8.0mm	25mm	Polypropylene	6.6mm	106mm	131mm	50swabs/bag 50bags/ctn
CM-FS718	Sponge	13mm	6.0mm	25mm	Polypropylene	5.0mm	75mm	128mm	50swabs/bag 50bags/ctn

P/N:	Head Material	Head width	Head Thickness	Head length	Handle Material	Handle width	Handle Length	Total length	Packaging
CM-FS708 (TX708A)	Sponge	21mm	8.0mm	26mm	Polypropylene	6.6mm	106mm	132mm	50swabs/bag 50bags/ctn
									
CM-FS920	Sponge	6.0mm	5.0mm	11mm	Polypropylene	4.0mm	57mm	78mm	100swabs/bag 100bags/ctn
									
CM-FS719	Sponge	3.0mm	3.0mm	11mm	Polypropylene	2.5mm	57mm	68mm	500swabs/bag 5*100swabs/bag 50bags/ctn
									
CM-PS743 (TX743B)	Double-Layer Polyester	4.0mm	3.6mm	12mm	Polypropylene	3.0mm	58mm	70mm	500swabs/bag 5*100swabs/bag 50bags/ctn
									
CM-PS758L (TX758L)	Single-Layer Polyester	3.2mm	2.2mm	10mm	Polypropylene	2.2mm	60mm	70mm	500swabs/bag 5*100swabs/bag 50bags/ctn
									
CM-PS758B (Double-Layer Polyester Head)									
									
CM-PS758LM	Single-Layer Microfiber	3.2mm	2.2mm	10mm	Polypropylene	2.2mm	60mm	70mm	500swabs/bag 5*100swabs/bag 50bags/ctn
									
CM-PS759 (TX759B)	Microfiber	2.2mm	1.2mm	10mm	Polypropylene	2.2mm	62mm	72mm	500swabs/bag 5*100swabs/bag 50bags/ctn
									
CM-PS714 (TX714A)	Double-Layer Polyester	13mm	3.0mm	24mm	Polypropylene	5.2mm	104mm	128mm	100swabs/bag 50bags/ctn
									
CM-PS761 (Tx761)	Double-Layer Polyester	7.5mm	3.0mm	16mm	Polypropylene	3.2mm	148mm	164mm	500swabs/bag 5*100swabs/bag 10bags/ctn
									
CM-PS766	Double-Layer Polyester	7.5mm	3.0mm	16mm	Polypropylene	3.2mm	72mm	92mm	500swabs/bag 5*100swabs/bag 20bags/ctn
									
CM-PS765 (Tx765)	Single-Layer Polyester	3.0mm	2.5mm	9mm	Polypropylene	3.2mm	143mm	153mm	500swabs/bag 5*100swabs/bag 10bags/ctn
									
CM-PS707M	Microfiber	13.0mm	3.0mm	25mm	Polypropylene	6.6mm	105mm	130mm	100swabs/bag 50bags/ctn
									



Cleanmo's Anti-static Cleanroom swabs are very good substitute for ITW Texwipe Swabs.

They are constructed from compressed, 100 ppi (Z) open-cell polyurethane foam or Polyester or Microfiber that is free from organic contaminants such as silicone, amides or DOP.

The foam is thermally bonded to the handle, thus, eliminating the use of contaminating adhesive or coatings.

Laundered and packed under an ISO Class 4 Cleanroom, the foam exhibits absorbency and solvent-holding capacity.

The foam head is compressed and possesses good firmness.

The pointed, non abrasive foam head is designed for cleaning small, slotted areas.

The fiber head is designed for cleaning small, slotted and recessed areas.

The excellent cleaning is controlled and supported flexible Paddle.

The swab handle is ESD-safe and is made from polypropylene.

The handle is compact and will not contribute to particulate or organic contamination.

Designed for general purpose cleaning, Cleanmo Anti-static Cleanroom Swabs are the ideal swabs to use in cleaning static sensitive components or parts.